

## Supplementary Online Content

Belmin J, Um-Din N, Donadio C, et al. Coronavirus disease 2019 outcomes in French nursing homes that implemented staff confinement with residents. *JAMA Netw Open*. 2020;3(8):2017533. doi:10.1001/jamanetworkopen.2020.17533

**eTable.** Occurrence and Duration of Shortages of Personal Protection Equipment From March 1 to May 11, 2020, in Nursing Homes Where Staff Members Self-Confined With Residents

**eFigure.** Locations of Nursing Homes With Staff Who Self-Confined With Residents Stratified by Regional Incidence of COVID-19 Among Nursing Home Residents

This supplementary material has been provided by the authors to give readers additional information about their work.

**eTable.** Occurrence and Duration of Shortages of Personal Protection Equipment From March 1 to May 11, 2020, in Nursing Homes Where Staff Members Self-Confined With Residents

	Shortage of		
	medical mask	alcohol based rub	disposable clothing
None	4 (24%)	4 (24%)	4 (24%)
During 1-2 weeks	4 (24%)	4 (24%)	0
During 3-4 weeks	2 (12%)	0	0
During 5-6 weeks	5 (29%)	6 (35%)	0
During 7-8 weeks	1 (6%)	0	6 (35%)
During 9-10 weeks	1 (6%)	3 (18%)	7 (41%)

**eFigure.** Locations of Nursing Homes With Staff Who Self-Confined With Residents Stratified by Regional Incidence of COVID-19 Among Nursing Home Residents

Percentage of COVID-19 cases  
in nursing homes

